

BEAVER PIPE TOOLS



300-500 Dana Ave.

Warren, Ohio, U.S.A.



Quick-Reference Catalog and Resale Price Sheet

(Prices Subject to Change Without Notice)

BEAVER No. 3 RATCHET THREADER WITH ENCLOSED RATCHET TEETH




Oil and chip holes between dies.



Enclosed ratchet for safety.



Square shaped dies, no weak section.





Bolt dies available.



Handy carrier furnished free.

A deluxe set—a popular leader for 30 years. Ratchet fully enclosed. Greater safety—because dirt cannot clog ratchet teeth and cause slippage. Dies easily removed to resharpen. Can be inverted for close threading. Easy to oil. Ample chip clearance. Finest set available. Sold complete, or in separate units. Right or left.


Ordering Specifications	Word	Net Price
NO. 3 BEAVER, complete, 1/8 to 1" pipe	Wobuc	\$29.80
ditto ¼ to 1" pipe	Wobum	25.50
ditto % to 1" pipe	Wobus	21.20
ditto 1/4 to 3/4" pipe	Wodim	21.20
ditto ½ & ¾" pipe	Wodis	12.60
METAL CARRYING CASE	Caseo	4.30
RATCHET with handle	Abend	4.00
DIEHEADS w/dies, R or L, state size	nr. dr.	4.30
Pipe—1/8, 1/4, 1/8, 1/2, 1/4 or 1"	Pipdi	777
Conduit-1/2, 3/4 or I" straight thread	Condu	4.30
Brass-%-20 thd.; % or % "-27 thd	Bradi	5.30
EXTRA DIES, per set, for above, state size	Twool	3.00
BOLT DIEHEADS w/dies, adjustable, state size		
Any size, 1/4. fe, 1/8. te, 1/2. fe, 1/8. 1/4. 1/4	Thuab	5.50
Special, I" adjustable, RH, N.C.	Thbol	9.50
L.H. adj. any size 1/4 to 1", same as No. 371, Pg. 2	Thief	10.50
EXTRA DIES, for N.C.R.H. Bolts	Bothre	4.00

BEAVER No. 2 RATCHET THREADER WITH OPEN RATCHET TEETH

A high quality competitive tool—with open ratchet teeth. Heads interchangeable in many "00" series tools. Ordering Specifications \$21.75 Twoak 18.00 Twobe Twocu 10.50 Twody METAL CARRYING CASE 4.30 Caseo 3.00 RATCHET with handle DIEHEADS, complete w/dies, R. or L. state size
Pipe, R or L. 1/2. 1/4. 1/4. 1/4 or 1/4"

Conduit, 1/2 or 1/4" straight thread

Brass, 3/4"—20 thd.; 1/4 or 3/4"—27 thd. 3.75 Topip 3.75 Tocon Tobra 5.00 Twool 3.00 EXTRA DIES, per set, for above, state size BOLT DIEHEADS w/dies, adjustable, state size Any size, RH, 1/4. th. 1/4. th. 1/4. th. 1/4. 1/4. 1/4. 1/4. 1/4. Twuah 4.00 EXTRA DIES, for N. C., R. H. .. Batwa



BEAVER 3-WAYS . . . SMALL, COMPACT . . . FOR PIPE AND CONDUIT



Beaver 3-Way Tools offer exceptional advantages. (1) Ample openings between dies for oiling and chip clearance: (2) Dies square in shape—no weak "offset" to break off; (3) Dies can be removed for resharpening or can be inverted for close threading (4) Standard pipe handles with long bosses for added strength.

	Ordering Specifications	Code	Net Price
NO. 33	BEAVER (%x1/2x% " standard)	Abkuf	\$11.00
NO. 34	BEAVER (1/2x %x 1" standard)		12.75
NO. 34-E	BEAVER (1/2x %x 1" Electric Conduit)		12.75
FXTRA	DIES, per set, any size or kind ify size %, ½, % or 1"		3.00
Avai	lable RH or LH, American or Britis Electric Conduit Straight Thread, 1/2, 3	h Standard	



THE "BEAVERETTES" — SELF-CONTAINED — FULLY-ADJUSTABLE


Popular the world over for past 35 years. One-piece, fully-adjustable threading 1/4, 1/4, and 3/4-inch pipe without changing dies or bushings. A "one-piece" tool! Extra dies for 1/4 when desired, Radio-diel setting, Universal centering chuck.



BEAVER No. 71 SERIES . . . PLAIN OR RATCHET . . . FULLY - ADJUSTABLE

1/2-inch. 12-Thd., say which Svrod 4.50 % to % PIPE, R.H. or L.H. Also Brass Tubing	Ordering Specifications No. 71 Plain, less dies No. 71-R Ratchet, less dies No. 71 Carrying Case, holds tool and 12 sets of dies No. 71-R Carrying Case, holds tool and 10 sets of dies No. 71-R Carrying Case, holds tool and 10 sets of dies METAL BOX, hinged lid, to hold 8 sets dies DIES, R.H. Pipe—state size DIES, R.H. Pipe—state size DIES, BOLT, L.H., N.C.—state size DIES, BOLT, L.H., N.C.—state size DIES, BOLT, R.H., N.F.—state size DIES, BOLT, R.H., N.F.—state size DIES, BRASS—% or % "—27-thread, give size DIES, BRASS—% inch 20-thread DIES, PUMP ROD—% inch, 14-Thd: vs-inch 12 Thd, Vs-inch, 12-Thd., say which	Svket Svbox Svrit Svlef Svbol Svblh Svnfi Svcon Svbrt Svbth	Net Price \$12.00 17.50 4.00 4.00 4.00 3.50 6.00 3.50 6.00 3.50 3.50 3.50 3.50	(Right) You can get some idea of the compact design of the little No. 71 tool. More than 100 different kinds and sizes of dies are available for pipe and bolts. 1/4" to 1" USS (N.C.) R.H. or L.H. Also R.H. (SAE) N.F. Bolts 1/8" to 3/4" PIPE, R.H. or L.H. Also Brass Tubing
---	--	--	--	--

BEAVER No. 371 RATCHET THREADER HEAD . . . FULLY - ADJUSTABLE



BEAVER No. 17 . . . UP TO 2" . . . A RUGGED DROP - HEAD THREADER

Ordering Specifications	Code Word	Net Price
No. 17 Complete, 1/8 to 2", for pipe (for specials see below)	Syten	\$53.90
1/4 to 2", for pipe (for specials see below)	Sytan	48,95
½ to 2", for pipe (for specials see below)	Sytun	39.05
No. 17 Complete, 1/8 to 11/4", for pipe (for specials see below)	Sytna	40.00
1/4 to 11/4", for pipe (for specials see below)	Sytne	35.00
% to 11/4", for pipe (for specials see below)	Sytno	30.00
1/2 to 11/4", for pipe (for specials see below)	Svtnu	25.00
No. 17 UNITS ONLY		
Ratchet with Handle only	Syrat	5.00
DIE HEADS, with Dies		
For REGULAR IRON PIPE		
1/4, 1/4, 1/4, 1/4, 1 or 11/4", R. H., each	Syreg	5.00
1½", R. H., each 2" (or 1¾" British) R. H., each	Sylar	6.25
2" (or 134" British) R. H., each	Svlyx	7.50
For ELECTRIC CONDUIT Straight Thread		
1/2, 3/4, 1 or 11/4", each	Syste	6.25
1½ or 2", each	Sylac	8.50
For Threading STAINLESS STEEL		
1/2, 3/4, 1 or 11/4", each, R. H.	Systa	8.50
1½ or 2", each, R. H.	Sylas	11.00
Add \$3.50 to above unit prices if wanted in left hand		
EXTRA DIES, per set, RH, Specify size	Sydir	3.50
EXTRA DIES, per set, LH, Specify size	Svdil	7.00
EXTRA DIES, For Stainless Steel, RH only, Per set, specify size	Sydis	7.00
EXTRA DIES, For Conduit, RH only, Per set, specify size	Sydic	4.50

American or British RH or LH, 1/8 to 2"

American Elec. Straight thread Conduit, 1/4 to 2"




DUAL RANGE 1/4 to 11/4"

BEAVER No's. 7-R AND 9-R, 4-POSTER THREADERS, 1" TO 2"





Taper-post — easy-working — receding tool using separate set of dies for each size. Semi-adjustable. Ratchet drive ring on the diehead in same plane as dies. Dies cannot drop out. Dies and bushings are interchangeable with other similar tools. No. 7-R uses bushings: 9-R has universal centering device.





Ordering Specifications	Code	Net Price
No. 7-R BEAVER I TO 2" STANDARD RATCHET	Sevar	\$27.00
No. 9-R BEAVER I TO 2" DELUXE RATCHET EXTRA DIES for Nos. 7, 8 and 9 Series	Abniv	30.00
Standard Pipe-1, 11/4, 11/2 or 2" (specify size), per set		2.60
SPECIAL BRASS PIPE DIES, any size, per set	Atarn	3.00
SPECIAL CAST IRON PIPE DIES, any size, per set	Atark	5.00
EXTRA BUSHINGS for No. 7-R type, each	Busho	.45
EXTRA GRIP SCREWS for No. 7-R type, each	Gripo	.30

BEAVER No. 38 - R 4 - POSTER THREADER 2" TO 3"

Taper-post semi-adjustable tools using separate set of dies for each size pipe. Ratchet on diehead — straight-line pull. Ball-and-spring die-retaining device fully enclosed. Patented accurate and simple centering device — no bushings. Will cut drip threads or close nipples. Made right hand only: ratchet only.

Ordering Specifications	Code	Net Price
No. 38RS BEAVER-For 21/2 and 3" Standard Pipe (8 thd.)	Ressa	\$75.00
No. 38RO BEAVER-2, 21/2 and 3" Oil Well Tubing [111/2 thd.]	Rolla	75.00
EXTRA DIES, 8 thread, standard pipe, 21/2 or 3 inch, per set	Rodie	7.00
10 thread External Upset Tubing, 2, 21/2 or 3", per set	Rodex	10.00
11½ thread, Oil Well Tubing, 2, 2½ & 3", per set	Rodow	10.00





BEAVER No. 48-R THREADER 2-1/2 TO 4"

A greatly improved taper-post semi-adjustable threader, with (1) Fully-enclosed gear case to keep out dirt and chips; (2) Extra wide dies; (3) Driving pinion is "straddle" mounted with double bearing; (4) Dies held in firmly by spring-backed ball-bearing plunger. Right hand American thread only.

Ordering Specifications	Code	Net Price
No. 48-R BEAVER 21/2 to 4" GEARED THREADER, Complete with Hand-operating Ratchet	Foret	\$93.50
EXTRA DIES, Right Hand, for 2½" pipe, per set ditto 3" pipe, per set ditto 3½" pipe, per set ditto 4" pipe, per set pipe, per set ditto	Forfe Forgo Forha Foric	6.45 6.45 6.45

BEAVER THREADING OIL . . . for good threads!



.. It Clings .. Polishes .. and Cools

		Ordering Specifications	Code	Net Price
1	GALLON	LITHOGRAPHED CAN	Ongal	\$ 1.50
1	GALLON	LITHOGRAPHED CANS (6 to case)	Oisix	9.00
1	GALLON	LITHOGRAPHED CANS [12 to case]	Abnol	18.00
5	GALLON	PAIL, with handle	Abnom	7.50
55	GALLON	DRUM	Abnoy	66.00
		(Federal tax and freight to be added	1	

Because of its high heat-absorbing quality we use Beaver Threading Oil in our own Testing Department. Ideal for use with hand tools or power machines. Sulphurated. Antiseptic and harmless to the skin, Beaver Oil is a coolant—clings to the work—polishes the threads—protects your tool investment—and insures good threads.



BEAVER No. 26-R THREADER-1" TO 2"-FULLY-ADJUSTABLE













Straight Line Pull Universal Chuck - Accurate Easier Cutting Centering - No Bushings

Cuts Taper or

Dies Easily Removed from Outside

Radio Dial Setting

First and foremost in the field of "one piece" adjustable tools for threading 1, 11/4, 11/4 and 2-inch pipe with one set of dies. Adjustable cam-type centering device. No loose parts. Many exclusive features-see above cut. Right or left-American

or British or conduit.

Beaver 26R is only threader

which will cut standard,

oversize or undersize threads

of uniform length.

Exclusive Feature!


Net Price Ordering Specifications Word NO. 26-R BEAVER FULLY-ADJUSTABLE - Abafe \$33,25 THREADER, Ratchet, Right Hand As above, Left Hand Abalh 37.00 NO. 25 BEAVER FULLY-ADJUSTABLE 40.00 THREADER, Plain Abake

EXTRA DIES, per set (threading 1, 11/4, 11/2 and 2" | Right hand ... Abamo 4.25 Left hand dies (usable only in left hand tools).... Abana 8.00

BEAVER No's. 41, 61, 80 & 90 GEARED THREADERS, FULLY-ADJUSTABLE

Popular throughout the world for more than 40 years. The only geared threaders that will cut standard, over-size or under-size threads of uniform length. Fully enclosed gear case; straddle-mounted driving pinion; etc. All models available -American or British or conduit, Right-hand only, Special Oil Field Threaders 10, 111/2, and 14 thread pitch, 3/4 or 3/4" taper. Hand or power.

Ordering Specifications	Code	Net Price
NO. 41-E BEAVER—2½ to 4-inch NO. 61-E BEAVER—2½ to 6-inch NO. 61-EX BEAVER—4 to 6-inch NO. 80-E BEAVER—7 to 8-inch [8 thrd. Amer.] NO. 80-E BEAVER—7 to 8-inch (10 thrd. Whitworth) NO. 90-E BEAVER—9 to 12-inch (8 thrd. Amer.) NO. 91-E BEAVER—7 to 10-inch, Whitworth (10 thrd.) NO. 90-E BEAVER—11 to 12-inch, (8 thrd. Whitworth)	Abarb Abava Abbic Abwhi Abcud Abeda Abltw	\$ 90.00 190.00 165.25 240.00 240.00 375.00 375.00 375.00
EXTRA DIES		
NO. 41-E (2½ to 4) NO. 61-E (2½ to 3½)	Abata Abaya Abbac	
NO. 80-E (41/2 to 6)	Abcic Abcic	27.50 27.50
NO. 90-E (9 to 10)	Abdit Abdoc	
NO. 91-E (7 to 8) Whitworth only	Abead	






Operating Ratchet is furnished with Geared Threaders and Cutters for hand operation.

SQUARE - END SAWING VISES

These sawing vises are a necessity when using light-weight thinwall tubing-where a clean-cut, square-end is necessary. Made of malleable iron with renewable hardened steel inserts for saw guides.



		0	rdering	Spe	elficatio	ms				Code	Net Price	
NO.	2	BEAVER	Square-e	end	Sawing	Vise,	1/8	to	2"	Tosaw	\$15.00	
NO	4	REAVER	Square	had	Sawing	Vise.	134	to	4"	Forsa	33.00	

BEAVER PIPE REAMERS



Lovers of good tools like these reamers-made with long tapering one-piece drop-forged cones-from a special grade of alloy-tool steel. No. 200 is swivel-200-R and 300-R are ratchet-operated.

	Ordering Specifications		Word	Price
NO. 200	BEAVER Swivel Reamer, 1/8	to 2"	Reama	\$_8.50
NO. 200-R	BEAVER Ratchet Reamer, 1	to 2"	Riemo	10.75
NO. 300-R	BEAVER Ratchet Reamer, 3	to 3"	Reeme	13.50

THE NEW BEAVER PIPE CUTTERS . . . No's. 2 AND 4



New and Better Pipe Cutters

MADE IN THE TWO POPULAR SIZES -No. 2 - 1/8" TO 2" No. 4 - 2" TO 4"

FAST EASY CUTS, BECAUSE THE PRESSURE IS APPLIED DIRECTLY TO THE WHEEL





Try this New Cutter . . . Today!




BOTH CUTTERS CAN BE USED WITH EITHER I OR 3 WHEELS Patented

Ordering Specifications	Code	Net Price
NO. 2 BEAVER PIPE CUTTERS, 1/8 to 2-inch (1 wheel)	Ablap	\$ 9.85
NO. 2-X BEAVER PIPE CUTTERS, 1/8 to 2-inch, (3 wheel)	Ablag	10.45
Extra Wheels, each	Ablas	.75
Wheels for thin-wall tubing, each	Ablaf	.75
Wheels for cast-iron pipe, each	Abial	.75
Extra Wheels, each, for stainless steel	Absta	1.50
Extra Pins, each	Awlab	.20
Extra rollers, each	Ablam	.45
	Abkla	33.00
NO. 4-X BEAVER PIPE CUTTERS, 2 to 4-inch. (3 wheel)	Ablok	33.50
Extra Wheels, each (Standard)	Ablon	1.25
Extra Wheels for thin wall or copper tubing, each	Thiwa	1.65
Extra Wheels for cast iron pipe, each	Casti	1.65
Extra Wheels, for stainless steel	Stafore	3.00
Extra Pins, each	Ablor	.40
Extra Rollers, each	Foral	1.00

BEAVER AUTOMATIC KNIFE PIPE CUTTERS . . . FOR HAND OR POWER USE

Cut, groove or bevel pipe (for welding). Different type of knife used for each purpose-quickly changed. Knives have safety-depth guide to prevent "hogging in" and knife breakage. Cut pipe square without burr. (No. 10 for hand ratchet use only.



Nos. 106, 108 and 112



Clean cut without burr



For making weldments



groove For victaulic joints



cut Saran

Ordering Specifications	Code	Net Price
NO. I BEAVER CUTTER, 1/8 to 1"		\$ 24.00
Extra Knives-Cutting	Acfam	2.00
NO. 5 BEAVER CUTTER, 1/2 to 2"	Acexi	25.00
*Extra Knives—Cutting	Acfet	2.50
As above, for Stainless Steel	Fista	4.00
*Extra Knives-Grooving	Ablei	5.00
*Extra Knives—Beveling	Actun	7.50
As above, for Stainless Steel	Stafi	8.5
Extra Knives for Saran pipe	Safiy	5.0
Stops for above factory installed _	Sastop	6.5
NO. 10 BEAVER CUTTER, 2 to 4"	Acgam	90.0
Extra Knives—Cutting	Acgor	3.5
Extra Knives-Grooving	Ablek	6.0
Extra Knives-Beveling	Actur	9.0
As above, for Stainless Steel	Stafor	13.0
Extra Knives for Saran pipe	Saten	6.00
Stops for above factory installed	Sarten	6.5
NO. 104 BEAVER CUTTER, 2 to 4"	Ablux	125.0
Extra Knives—Cutting	Acgor	3.5
Extra Knives-Grooving	Ablek	6.0
Extra Knives-Beveling	Actur	9.0
As above, for Stainless Steel	Stafor	13.0
Extra Knives for Saran pipe	Safour	6.0
Stops for above factory installed	Sarfor	6.5
NO. 106 BEAVER CUTTER, 21/2 to 6"	Acgen	176.0
Extra Knives—Cutting	Acger	7.0
Extra Knives-Grooving	Ablen	10.0
Extra Knives—Beveling Extra Knives for Saran pipe —	Actut	16.0
Extra Knives for Saran pipe —		
no stops needed	Sasis	10.00
NO. 108 BEAVER CUTTER, 41/2 to 8"	Acget	240.0
Extra Knives-Cutting	Acgev	9.0
Extra Knives-Grooving	Ablet	14.00
Extra Knives—Beveling	Actuv	18.0
As above, for Stainless Steel	Staate	24.0
Extra Knives for Saran pipe —		
no stops needed	Seate	14.00
NO. 112 BEAVER CUTTER, 9 to 12"	Acgil	390.00
Extra Knives—Cutting Extra Knives—Grooving	Acgip	12.0
Extra Knives-Grooving	Ablev	18.0
Extra Knives-Beveling	Acfux	24.0
Extra Knives for Saran pipe -		
no stops needed	Satwe	18.00

*Also used in Knif

BEAVER PIPE AND BOLT MACHINES MODELS A, B and E

Ordering Specifications

BEAVER MODEL-A PIPE AND BOLT MACHINE, complete with 110 volt universal reversible motor for light-line service, AC or DC, 25 to 60 cycle; reversible controller-type switch; reversible oil pump; 1/6 to 2-inch hinged cone-type reamer; ball-bearing self-centering wheel-and-roller cutoff suitable for pipe or bolts; one gallon Beaver Threading Oil and the following pipe threading equipment:

PLEASE NOTEL MOTOR: 220 - volt motor optional, same price. Other voltages available —write for prices.

CUTOFF: Automatic knife-cutoff (for pipe only) \$15.00 extra.

A-1 With 3 quick-opening adjustable DUO-TYPE dieheads
and 3 sets of highspeed steel duo-type (for two sizes)
dies to thread 1/2 to 2-inch pipe WITHOUT CHANGING
A 2 With 4 due time disheads w/dies 1/, to 2"

-2 With 4 duo-type dieheads w/dies, 1/4 to

A-3 With 5 duo-type dieheads w/dies, 1/8 to 2" ... Arell

A-11 With 6 quick opening adjustable MONO-TYPE dieheads with 6 sets of highspeed steel mono-type (for one size only) dies to thread 1/2 to 2-inch pipe WITHOUT CHANGING DIES

A-12 With 7 mono-type dieheads w/dies, 1/4 to 2" A-13 With 8 mono-type dieheads w/dies, 1/4 to 2" A-14 With 9 mono-type dieheads w/dies, 1/4 to 2"

A-21 With 2 quick-opening adjustable MONO-TYPE dieheads (one large, one small size) and 6 sets of highspeed steel mono-type dies to thread ½ to 2" pipe by changing dies .

A-22 With 2 mono-type dieheads, 7 sets dies, 1/8 to 2" A-23 With 2 mono-tpe dieheads, 8 sets dies, 1/4 to 2" A-24 With 2 mono-type dieheads, 9 sets dies, 1/8 to 2"

MODEL-A PIPE AND BOLT MACHINE, complete, less all threading equipment. (When ordering Bolt Dieheads only or limited ranges of pipe dieheads, add to this Base Price)

Code Net \$570.00 Aroll 600.00 Aral

630.00

Amono 660.00 Amimi 690.00

Amana 720.00 Amene 750.00

Amunu 570.00 Amupo 577.50

Amura 585.00 Amuse 592,50

Abase 460.00

For Dies, Dieheads, and Accessories for Model-A See Top of Page 7

1/8 to 2" Pipe and Bolt Machine Up to 12" with drive shaft and geared tools. (Heavy-Duty Model

BEAVER MODEL-A

Right-handed operation-like a lathe . . . All controls at finger tips, chuck to the left, tool mounting at right ... All gear-driven, gears run in oil ... Rack-and-Pinion feed ... 12 inch carriage travel ... 3-jaw, 7½" heavy-duty chuck for ½" to 2" pipe ... Reamer mounted on swinging arm ... Oil Pump accessibly with drive shaft and geared tools . . . Out board spool pipe rest . . . Safety switch lock . . Aluminum carriage support, Net weight-about 370 lbs.

Ordering Specifications

BEAVER MODEL-B PIPE AND BOLT MACHINE, complete with 110-volt universal reversible motor for light-line service. AC or DC, 25 to 60 cycle, reversible switch; automatic oil pump: 1/4 to 2-inch hinged cone-type reamer: ballbearing self-centering wheel-and-roller cutoff suitable for pipe or bolts; one gallon Beaver Threading Oil and the following pipe threading equipment:

8-1 With 3 guick-opening adjustable DUO-TYPE dieheads and 3 sets of highspeed steel duo-type (for two sizes) dies to thread ½ to 2-inch pipe WITHOUT CHANGING DIES

B-2 With 4 duo-type dieheads w/dies, 1/4 to 2" B-3 With 5 duo-type dieheads w/dies, 1/4 to 2"

8-11 With 6 quick-opening adjustable MONO-TYPE dieheads with 6 sets of highspeed steel mono-type (for one size only) dies to thread ½ to 2-inch pipe WITHOUT CHANGING DIES

B-12 With 7 mono-type dieheads w/dies, 3/4 to 2" ...

B-13 With 8 mono-type dieheads w/dies, 1/4 to 2" B-14 With 9 mono-type dieheads w/dies, 1/4 to 2"

B-21 With 2 quick-opening adjustable MONO-TYPE dieheads (one large, one small size) and 6 sets of highspeed steel mono-type dies to thread ½ to 2-inch pipe by changing dies

B-22 With 2 mono-type dieheads, 7 sets dies, 3/4 to 2"

B-23 With 2 mono-type dieheads, 8 sets dies, 1/4 to 2" B-24 With 2 mono-type dieheads, 9 sets dies, 1/4 to 2"

MODEL-B PIPE AND BOLT MACHINE, complete, less all threading equipment. [When ordering Bolt Dieheads only or limited ranges of pipe dieheads, add to this Base Price)

For Dies, Dieheads, and Accessories for Model-B See Top of Page 7

PLEASE NOTE! MOTOR: 220 - volt same price.

CUTOFF: Autonatic knife-cutoff (for pipe only) \$15.00 extra.

Code Bepum \$480.00 Bepan 510.00 Benod 540.00

Beman 570.00

Bemet Bernix 630.00 Bernod 660.00

502.50

Bebas 370.00

Betoo

Net Price BEAVER MODEL-B 600.00

1/8 to 2" Pipe and Bolt Machine Up to 8" with drive shaft and geared tools. (Utility Model)

Right-handed operation - like a lathe . . . All controls at finger tips, chuck to the left, tool mounting at right . Betoe 480.00 All gear-driven, gears run in oil . . . Rack-and-Pinion feed 487.50 . . 12-inch carriage travel . . . 3-jaw, 7½" heavy-duty 495.00 chuck for ½" to 2" pipe . . . Reamer mounted on swing-series for the control of the con ring-type quick-opening dieheads . . . Choice of ball-bearing wheel-and-roller cutoff, (standard) or automatic knife cut-off, extra cost. Cutting units are interchangeable . . . Universal ball-bearing gear motor 110/115 or 220/230 Vt. . Machine has power to thread and cut pipe up to 8" w drive shaft and geared tools. Outboard spool pipe rest . . Safety switch lock . . . One-piece aluminum base. With bronze spindle bearings . . . Net weight about 240 lbs.

DIEHEADS, DIES, ACCESSORIES . . . MODELS A, B and E

Ordering Specifications	Word	Net Price
BOLT DIEHEADS, without dies, Quick-opening and Adjustable	11010	ringe
(Small)—for ¼ to 1" Bolt dies	Bolto	\$27.50
(Large)—for 1 % to 2" Bolt dies BOLT DIES, any size, per set, HIGH SPEED STEEL	Bolta	27.50
BOLT DIES, any size, per set, HIGH SPEED STEEL	Donas	27.00
24. 25, 36, 25, 36, 36, 36, 36, 1, 115, 115, 136, 136, 136, 136, 136, 136, 136, 136		
USS (NC) Right Hand, Specify size	Boldi	9.35
N.F. (SAE), Right Hand, Specify size	Bofin	12.65
N.C. (USS), Left Hand, Specify size	Lefbo	12.65
PIPE DIEHEADS, without dies, Quick-opening and Adjustable	Leibo	12.05
(Small)—for 1/8 to 1/4" mono-type pipe dies	Bolto	27.50
Large more I to 2" more time pine dies	Bolta	
Dup-type-2+11/6 11/41 14x14 or Mx14" (Specify size)		27.50
Universal graduated 1/2 to 3/" inc	Abuoy	27.50
Universal graduated I to 2" inc	Smauni	27.50
Duo-type—2x1½, 1½x1, ¾x½ or ¾x¼" (Specify size) Universal graduated ½ to ¾" inc. Universal graduated 1 to 2" inc. PIPE DIES, RH. American or British, per set, HIGH SPEED STEEL	Laruni	27.50
Mono-type—1/2 1/2 3/2 1/2 3/2 1/2 1/2 1/2 1/2 2/7	1.00	
Mono-type—1/8, 1/4, 3/4, 1/4, 1/4, 11/4, or 2" Duo-type—2x11/4, 11/4x1, 3/4x1/2 or 3/4x1/4" (Specify size)	Mondi	9.35
CONDUIT DIES (Duo-type only) High Speed Steel, per set	Duodi	9.35
PIPE DIES I H and size as lied and all the corrections	Elcon	9.35
PIPE DIES. LH. any size or kind, per set, HIGH SPEED STEEL	Lefdi	12.65
WELDED STEEL DIEHEAD RACK, holds 6 dieheads	Hrack	3.50
ALUMINUM DIE TRAY, holds 6 sets dies	Dirak	4.00
OPEN STAND, no wheels, for Model A	Ostan	25.00
ENCLOSED STAND, no wheels, for Model A	Plano	30.00
PORTABLE STAND, Enclosed, two 18" steel-rimmed wheels, for Model A	Abuxa	40.00
PORTABLE STAND, Enclosed, two 18" rubber-tired wheels, for Model A	Ruber	47.50
OPEN STAND, no wheels, for Model B	Bstan	25.00
ENCLOSED STAND, no wheels, for Model B	Blano	30.00
PORTABLE STAND, Enclosed, two 18" steel-rimmed wheels, for Model B	Bstwl	40.00
PORTABLE STAND, Enclosed, two 18" rubber-tired wheels for Model B	Brbwl	47.50
PORTABLE STAND, Enclosed, with 14" steel-rimmed wheels, Model-E	Emstw	43.25
TORIABLE SIAND, Enclosed, with 14" rubber-tired wheels Model F	Emrub	46.25
ENCLOSED STAND, Without wheels, Model-E	Enowh	35.00
OPEN STAND, no wheels, Model-E	Emsta	22.50
DKIVE SHAFI, Heavy Duty, for operating geared tools	Abita	28.45
PIPE SUPPORT, adjustable, for long lengths of pipe	Suppo	24.00
NIPPLE CHUCK, No. 55, (a) with adapters, 1/4 to 2" pipe, (with kit box)	Abuef	30.25
(b) with edapters, \(\frac{1}{2} \) to 2" pipe, (with kit box)	Abufa	35.80
(c) Kit box only	Kitbo	2.75
(d) Adapters, 16 to 2" pipe, any size	Adapo	1.85
IRONSFURMER, 1107220	Trans	40.00
BEAVER THREADING OIL, 5-gallon pail, each	Abnom	7.50



Quick Opening dieheads, fully adjustable, easy to set — plenty of Oil and Chip clearance. Two sizes covers range 1/8 to 2"




Wheel Cutter — Standard equipment on all machines. Cuts off pipe or rods. Inter-changeable Knife Cut-Off available.



A quick release nipple chuck can furnished with adapters to handle 1/8 2". All-thread nipples can be cut.

*KNIVES available for use in Knife Cut-off for Cut-fing or Bevelling Stainless Steel — also Knives for Grooving Pipe; also Knives with stops for Cutting Saran-Lined Pipe, See No. 5 Cutter, Page. 5.



1/8 to 2" Pipe & Bolt Machine Up to 8" with drive shaft and geared tools. (Lightweight Model)

Right hand operation — like a lathe . . . All controls at finger tips, chuck to the left, tool mounting at right at ringer tips, chuck to the left, tool mounting at right.

. All gear-driven, gears run in oil . . Lever carriage feed with 9½ inch carriage travel . . 3-jaw, 7½" heavy-duty chuck for ½" to 2" pipe . . Reamer mounted on swinging arm . . Oil Pump accessibly located . . Adjustable, ring-type quick-opening dieheads . . . Choice of ball-bearing wheel-and-roller cut-off. (standard) or automatic knife cut-off, extra cost. Cutting units are interchangeable. Universal cost, Cutting units are interchangeable . . . Universal ball-bearing gear motor 110/115 or 220/230 volt . . . Will thread and cut pipe up to 8" with drive shaft and geared tools. Outboard spool pipe rest . . . Safety switch ock . . . One-piece steel-weldment base . . . Aluminum head-stock with bronze spindle bearings. Removable chip tray. Weight about 190 lbs. For Dies, Dieheads, and Accessories for Model-E See Top of Page

Ordering Specifications

EOLT MACHINES

DIES AND ACCESSORIES IN THIS

BEAVER

ALL

ALL DIEHEADS. 2

BEAVER MODEL-E PIPE AND BOLT MACHINE, complete with 110-volt universal reversible motor for lightline service, AC or DC, 25 to 60 cycle; reversible switch; automatic oil pump: $\frac{1}{16}$ to 2-inch hinged cons-type reamer: ball - bearing self-centering-wheel-and-roller cutoff suitable for pipe or bolts; one gallon Bea Threading Oil and the following pipe threading eq

E-I BEAVER MODEL "E", complete as above, with large (1/2 to 2) quick-opening adjustable universal of head and 3 sets alloy steel duo-type dies to three 1/2 to 2" pipe, inclusive ..

E-2 Same as above E-1-plus one small-size (1/4 to quick-opening adjustable universal diehead and ne sary dies to complete the threading range to 1/4 2-inch, inclusive ...

E-13 As Above . . . with 3 Quick-opening adjustable d type dieheads and 3 sets alloy steel dies to thread to 2" pipe WITHOUT CHANGING DIES ..

E-14 As Above . . . with 4 Quick-opening adjustable d type dieheads and 4 sets alloy steel dies to thread to 2" pipe WITHOUT CHANGING DIES .

E-15 As Above . . . with 5 Quick-opening adjustable d type dieheads and 5 sets alloy steel dies to thread to 2" pipe WITHOUT CHANGING DIES

E-26 As Above . . . with 6 Quick-opening MONOTYPE die heads and 6 sets of HIGH SPE STEEL pipe dies (each set threading one size only) thread 1/2 to 2" pipe WITHOUT CHANGING DIES

E-28 As Above . . . with 8 Quick-opening adjusts MONOTYPE dieheads and 8 sets of HIGH SPE STEEL dies (each set threading one size only) to thre 1/4 to 2" pipe WITHOUT CHANGING DIES

E-29 As Above . . . with 9 Quick-opening adjustal MONOTYPE dieheads and 9 sets of HIGH SPE STEEL dies (each set threading one size only) to thre
1/8 to 2" pipe WITHOUT CHANGING DIES
BEAVER MODEL "E" PIPE & BOLT MACHINE, comple

less all threading equipment (when ordering bolt dieheads or limited range of pipe dieheads, add to this

PLEASE NOTE! MOTOR: 220 - voit motor optional, same price.

CUTOFF: Auto

ller ver	(for pip	ife-cutoff e only)
ne lia-	Code Word	Net Price
ad (4)	Emone	\$385.00
to to	Emtwo	417.50
1/4	Emtre	430.00
1/4	Emfor	457.50
%	Emfiv	485.00
to le	Emsix	490.00
d	Emate	550.00
D ad	Emnin	580.00

Fhate 340.00

THE NEW BEAVER MODEL - D



The New Beaver Model-D light-weight aluminum power drive for one-man handling supersedes former Model C-2. Choice of 110 or 220 volt gear motor, 25 to 60 cycle, single phase. Reversible at switch . . . Anti-friction bearing throughout. Motor easily accessible without dismantling mechine. Full-size 7½" chuck takes ½ to 2-inch pipe. Gears run in oil — a Beaver exclusive! Bronze spindle bearings. Patented automatic safety switch lock. Also safety latch for tool handle. For bench use — or available with legs for stand use. Will drive geared tools up to 8-inch — 12-inch under favorable circumstances. Weighs about 100 lbs. Ventilated motor for greater power and lower motor upkeep cost.


 Ordering
 Specifications
 Word
 Price

 BEAVER D Power Drive
 Dnovi
 \$210.00

 BEAVER D Power Drive with vise
 Dwivi
 220.00

 Legs w/feet and spikes (set of 4)
 Pileg
 7.50

BEAVER MODEL - C POWER DRIVE



BEAVER MODEL C-1

A general purpose, medium weight power drive—weighs about 145 lbs. Steel-iron housings for ruggedness. Choice of Universal geared motor, 110 or 220 volt, 25 to 50 cycle, single phase . . . Standard 7½-inch chuck for pipe ½ to 2-inch . . . Will drive up to 8-inch with drive shaft and geared tools. Gears run in oil . . . Bronze spindle bearings, safety-switch-lock, also safety latch for tool handle. Thousands of satisfied users. Ventilated motor for


greater power and lower motor upkeep cost. Ordering Specifications BEAVER C-I Power Drive	Pileg	Net Price \$205.00 7.50 6.00
Metal Tool Tray (Attaches to Model-C Legs)	Trayo	6.00

POWER DRIVE KITS FOR MODELS C	and D
Consists of Model C-1 or D (with vise) as specified, 110 or 220 volt motor; set of legs with feet; adjusts support; No. 102-PD power drive wheel cutter; No. reamer, No. 77 Ouick-opening threader with alloy-steel	choice of able pipe 200 pipe dies; 1/2
to 2-inch; 5 gallon pail of threading oil and one chip (Pipe Bender and Tool Tray for C-I only.)	a strainer.
BEAVER C-I Power Drive Kit	\$320.50
BEAVER D Power Drive Kit (with vise)	328.50

BEAVER MO	DEL HD	Power Dr	ive (see cat.)	330.00
MODEL-HD	Enclosed	Portable	Stand	35.00

RECOMMENDED ACCESSORIES


DESIGNED FOR USE WITH ALL ELECTRIC POWER DRIVES BEAVER "77" — 1/2 to 2" QUICK - OPENING DIEHEAD



A quick-opening, adjustable diehead with alloy steel dies to thread ½ to 2-inch pipe. Bolt dies up to 1½-inch are also available. Dies quickly released, as shown . . . no backing off; when lever is closed dies return to size. Adjustable for over or under-size threads. Universal centering guide, Made especially for power drive use. All dies interchangeable with Beaver Pipe Machines Models A, B and E. All-thread nipples can be cut with this tool and Beaver No. 55 Universal nipple chuck ½ to 2-inch. Right or left — pipe or conduit — N.C. or N.F. bolts.

	Code Word	Price
No. 77 Complete less dies	baby	\$26.00
Pipe Dies, 3/4x1/2, 13/4x1, 2x11/2 (state size) R or	L	6.00
Bolt Dies, % to 11/2, High Speed Steel (state	size)	9.35
Bolt Dies, L. H. N. C. or R. H. N. F. (3/4 to 11/4) High Speed Steel (specify size) per set	2)	12.65

BEAVER 102-PD CUTTER 1/8 to 2"



Made especially for power drive use. Has double row of rolls forming a wide channel, assuring a square cut — wheel breekage is eliminated. Can also be used as hand cutter. An ideal companion to No. 77 Threader shown above. Cutting wheels interchangeable with Beaver No. 2 cutter—Page 5. Wheels available for stainless steel, cast-iron and thinwall tubing.

NO, 102-PD Cutter	Pocut Cutter, Ablaw	\$12.00 Page 5
Ordering Specifications	Code	Net Price
Driveshaft for operating geared tools	Abita	\$28.45
Adjustable Pipe Support	Suppo	24.00
Beaver No. 5 Burrless Knife Cutter, 1/2 to2" For Conduit, Beveling or Grooving, Extra	Acexi	25.00
Threading Oil (5-gallon pail)	Abnom	7.50
Pipe Bender	Piben	1.00
Reamers (See page 4)		
Chip Strainer	Filto	5.00
Geared Threaders and Cutters (Pages	4 and 5	1.